

Wedge Barrier - Hydraulic (For SAPOL Sites)

Last Issue Date: 27/03/2019		Type Of Service				
Activity		A	B	C	D	E
1	BLOCKING ELEMENT AND UNDERGROUND HOUSING (Items 1-12)	Y	Y	Y	Y	
2	Visual check entire system for damage, corrosion and deterioration.	Y	Y	Y	Y	
3	Check bearings, bolts and axle support on the hydraulic cylinders for tightness and scissor joint for any damages.	Y	Y	Y	Y	
4	Check tight fit of the proximity switches for the position of the blocking element.	Y	Y	Y	Y	
5	Check the underground housing. Clean if required.	Y	Y	Y	Y	
6	Check operation of housing drainage.	Y	Y	Y	Y	
7	Check warning plate for damage, replace if necessary.		Y	Y	Y	
8	Grease the joint head of the hydraulic cylinders.		Y	Y	Y	
9	Grease the upper and lower bearings of the scissor joints.		Y	Y	Y	
10	Check the integrity of all functional parts. Replace if necessary.		Y	Y	Y	
11	Clean underground housing including oil deposits.		Y	Y	Y	
12	Clear the drainage.		Y	Y	Y	
13	HYDRAULIC DRIVE UNIT AND COMPONENTS (Items 14-21)	Y	Y	Y	Y	
14	Check the general condition of all functional parts including hydraulic lines for damage.	Y	Y	Y	Y	
15	Check hydraulic cylinder/s hydraulic screw connections for leakage, tighten if necessary.	Y	Y	Y	Y	
16	Check oil level in tank, refill if required.	Y	Y	Y	Y	
17	Check system pressure and adjust to specified value if required.	Y	Y	Y	Y	
18	Clean hydraulic unit and surrounding area.	Y	Y	Y	Y	
19	Remove oil filter neck and clean if necessary.		Y	Y	Y	
20	Check air filter and reverse flow filters, clean or replace as necessary.		Y	Y	Y	
21	Clean control cabinet, hydraulic components and motor including for oil residues.		Y	Y	Y	
22	ELECTRICAL CONTROL (Items 23-28)	Y	Y	Y	Y	
23	Check terminal box inside cylinder housing and the terminal box inside the control cabinet.	Y	Y	Y	Y	
24	Undertake functional test of the electrical heater of control cabinet.	Y	Y	Y	Y	
25	Conduct a general functions test.	Y	Y	Y	Y	
26	Check condition of electrical controls.		Y	Y	Y	
27	Check function of contactors and relays.		Y	Y	Y	
28	Conduct a function test.		Y	Y	Y	

Disclaimer - This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 22/12/2020

Wedge Barrier - Hydraulic (For SAPOL Sites)

Activity		Type Of Service				
		A	B	C	D	E
Last Issue Date: 27/03/2019						
29	GENERAL ITEMS				Y	
30	Check all functional parts, connections and screw connections for their integrity and tight fit.				Y	
31	Check oil for the following and change if any present: a) Impurity with water. b) Obvious changes in colour or viscosity. c) Unusual odour. d) General visible impurities.				Y	
32	Clean oil filter.				Y	
33	Clean or replace filter insert.				Y	
34	Check function of all safety devices, including safety edges, main switches, light barriers and safety circuits.				Y	
35	Check all screwed connections are tightened to the required torque.				Y	
36	Record results in log book.	Y	Y	Y	Y	

Special Comments and Technical Data

A SERVICE MONTHLY (THIS SERVICE RECOMMENDED BY THE MANUFACTURER, NOT MANDATORY, INCLUDE IF REQUESTED BY CLIENT)
 B SERVICE 3 MONTHLY
 C SERVICE 6 MONTHLY
 D SERVICE ANNUAL

Disclaimer - This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
 Department of Planning,
 Transport and Infrastructure

Download Date: 22/12/2020

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI [Agency Work Procedure Manual](#).

Users of a TDS should familiarise themselves with the following **Conditions of Use**:

1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
2. If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
4. You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the [Work Health and Safety Act 2012](#).
5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
8. DPTI may change information and data in a TDS without notice.
9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.