

CCTV - SAPOL

Activity		Type Of Service				
		A	B	C	D	E
Last Issue Date: 12/11/2013						
1	SYSTEM GENERAL (Tasks 2-17)				Y	
2	Check installation against records, record and report any discrepancy.				Y	
3	Check and test the operation of all cameras and camera controllers from the keyboard or control desk.				Y	
4	Check operation of all control equipment.				Y	
5	Check all power supply sources for correct operation.				Y	
6	Undertake back up battery load test where applicable.				Y	
7	Check UPS operation where applicable.				Y	
8	Check on board battery, replace if use by date passed.				Y	
9	Check and reset system date and time on all equipment modules.				Y	
10	Check the condition of all control and camera equipment for damaged, stressed or heated components.				Y	
11	Check all visible wiring, conduits, connections and manual interfaces for damage.				Y	
12	Check all control and camera equipment for proper ventilation and weather protection.				Y	
13	Check operation, clean and adjust all control and camera equipment as required.				Y	
14	Inspect and clean all equipment cabinets and enclosures.				Y	
15	Where applicable, save set-up and operational parameters on back-up disk.				Y	
16	Ensure all switches are set to normal position, mains power is on and connected to system.				Y	
17	Clean all workstation monitors				Y	
18	CCTV MONITORS (Tasks 19-21)				Y	
19	Check that external alarms activate cameras and appropriate images on CCTV monitors.				Y	
20	Check CCTV monitor video quality for any visible hum, noise, distortion or other undesirable effects.				Y	
21	Check picture tube condition and any burnt image on screen.				Y	
22	VIDEO RECORDERS - (Tasks 23-34)				Y	
23	Check and test operation of any alarm activated inputs and the DVR responds according to site requirements.				Y	
24	Check record modes, frame rates, and image resolution are set as per requirements.				Y	
25	Where video detection is employed, ensure all detection grids, sensitivities, etc are set with reference to the appropriate cameras.				Y	
26	Inspect and clean / replace air inake and exit filters.				Y	

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 22/12/2020

CCTV - SAPOL

Last Issue Date: 12/11/2013		Type Of Service				
		A	B	C	D	E
Activity						
27	Check all fans are operating				Y	
28	Check and clean directory				Y	
29	Check directory raid array				Y	
30	Ensure archiver 1,2,3,4 are cleaned and raid array checked				Y	
31	Check signal levels				Y	
32	Generate all alarms - Rack over temp alarm - Archive fail alarm - Encoder / decoder fail alarm - Video loss alarm				Y	
33	Check all alarms are OK				Y	
34	Clean workstation 1,2,3,4,5,6,7				Y	
35	CAMERAS (Tasks 36-43)				Y	
36	Check all camera views, clean as required.				Y	
37	Check auto iris function and adjust if necessary.				Y	
38	Check zoom lens functionality.				Y	
39	Check pan / tilt functionality.				Y	
40	Check all functions of receiver / drivers.				Y	
41	Check infra-red and other associated lighting for video cameras.				Y	
42	Check camera focus.				Y	
43	Check zoom lens functionality.				Y	
44	Record all results in log book.				Y	

Special Comments and Technical Data

D SERVICE ANNUAL
BEFORE ANY TESTS ARE CARRIED OUT NOTIFY MONITORING STATION.
DO NOT DISCONNECT, BRIDGE OR REMOVE ANY DEVICE WITHOUT
NOTIFYING THE CLIENT, MONITORING STATION AND ENTERING IT
INTO THE RECORD BOOK WITH DETAILED REASONS FOR THE ACTION.
SPECIALIST ELECTRONICS CONTRACTOR REQUIRED FOR THIS WORK.

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 22/12/2020

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI [Agency Work Procedure Manual](#).

Users of a TDS should familiarise themselves with the following **Conditions of Use**:

1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
2. If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
4. You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the [Work Health and Safety Act 2012](#).
5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
8. DPTI may change information and data in a TDS without notice.
9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.