Emergency Evac.Lighting - Centr System Luminaires

Last Issue Date: 18/07/2013 Activity		Type Of Service				
		Α	В	С	D	Е
1	EMERGENCY LUMINAIRES AND EXIT SIGNS Check all emergency luminaries for correct operation. (Replace any defective lamps) NOTES:- For indirect lighting systems, carry out the following checks:- * Check that the emergency luminaires of the directional beam type, if used, are aimed in such a maner that the beam will not be directed into the eyes of the persons moving through the designated area. * Clean all light emitting and reflecting surfaces.		Y		Y	
2	Check to ensure that emergency luminaires and exit signs operate in correct relationship to the normal lighting in the designated area, refer section 2 AS/NZS 2293.1.				Y	
3	Record all results in log book.		Υ		Υ	

Special Comments and Technical Data

B SERVICE MONTHLY
D SERVICE ANNUAL
THESE SERVICES TO DONE IN CONJUNCTION WITH 17B
IT IS INTENDED THAT THIS SCHEDULE & CONTRACTOR ACTIVITIES
REFLECT INSPECTION AND TESTING OF ESSENTIAL SAFETY ITEMS OF
DEVELOPMENT ACT 1993, MINISTERS SPECIFICATION SA 76.
MANDATORY SERVICE AS PRESCRIBED IN AS 2293.2.
WHERE SHUT DOWN OF SUPPLY IS REQUIRED FOR INSPECTION AND
TESTING PURPOSES LIAISE AND COOPERATE WITH THE CLIENT IN
ARRANGING DATES AND TIMES TO REDUCE TO A MINIMUM ANY
INTERFERENCE TO THE CLIENTS OPEARTIONS
SERVICING MUST BE CARRIED OUT IN CONJUNCTION WITH TECHNICAL
DATA SCHEDULE F17B.

Disclaimer -This TDS is intended to provide <u>guidance only</u> to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full <u>Conditions of Use</u> provided on the final page of this document and on the DPTI website.



For more information please contact the applicable Facilities Management Service Provider.

Download Date: 22/12/2020 1 of 2

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI *Agency Work Procedure Manual*.

Users of a TDS should familiarise themselves with the following Conditions of Use:

- 1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
- If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
- 3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
- You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the <u>Work Health and Safety Act 2012.</u>
- 5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
- 6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
- 7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
- 8. DPTI may change information and data in a TDS without notice.
- 9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.



For more information please contact the applicable Facilities Management Service Provider.

Download Date: 22/12/2020

2 of 2