

Swimming Pools

Last Issue Date: 02/03/2015		Type Of Service				
Activity		A	B	C	D	E
1	<p>COMMISSIONING</p> <ul style="list-style-type: none"> - Clean plant room - Clean any debris from water - Check and report on the condition of the pool surfaces, handrails, steps, ladders, diving boards and fencing - Top up pool water level if required and check operation of make-up valve - Check chemical supply and report any requirements to the pool operator - Clean chlorine and ph probes, dosing ejectors and sensing strainer chamber - Clean skimmer boxes and lint strainer - Check operation and report on the condition of filtration system - Check operation of circulating/filter pump - Backwash filters and log filter pressures - Check operation of chlorine pump - Check operation of acid dosing pump or CO2 dosing system - Calibrate and commission dosing system - Test water quality and record results in log book - As soon as possible report any faults effecting the operation of the pool, seek approval for their rectification and repair immediately 			Y		
2	<p>IN-SEASON MAINTENANCE</p> <ul style="list-style-type: none"> - Test water quality and record results in log book - Backwash filters and log filter pressures - Record chemical supply in log book and report to the pool operator - Clean chlorine and PH probes, dosing injectors, and sensing strainer chamber - Clean skimmer boxes and lint strainer - Check operation of chlorine pump - Check operation of acid dosing pump or CO2 dosing system - Calibrate dosing system - Check operation of pool water make up valve and service if necessary - Clean plant room - As soon as possible report any faults effecting the safe operation of the pool, seek approval for their rectification and repair immediately. 		Y			
3	<p>DECOMMISSIONING</p> <ul style="list-style-type: none"> - Backwash filters and log filter pressures - Isolate circulating pump - Clean skimmer boxes and lint strainer - Record chemical supply in log book and report to the pool operator - Ensure pH level is between 7.2 and 7.6 prior to dosing with algicide - Clean chlorine and pH probes and store in a suitable solution - Clean dosing ejectors, and sensing strainer chamber - Flush chlorine and acid dosing pump - Dose pool with suitable algicide capable of maintaining water quality through the off season while the pool is out of use - Ensure plantroom is left in a clean and tidy condition 				Y	

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 04/11/2021

Swimming Pools

Last Issue Date: 02/03/2015		Type Of Service				
Activity		A	B	C	D	E
- Cover pool if cover available - Report any faults, seek approval to rectify and carry out work prior to the beginning of the swimming season.						

Special Comments and Technical Data

C COMMISSIONING IS TO BE CARRIED OUT AT THE BEGINNING OF THE SWIMMING SEASON

B IN-SEASON MAINTENANCE IS TO BE CARRIED OUT AT A MAXIMUM INTERVAL OF 6 WEEKS.

D DECOMMISSIONING IS TO BE CARRIED OUT AT THE END OF THE SWIMMING SEASON

REFER: MANDATORY STANDARD FOR THE OPERATION OF SWIMMING POOLS AND SPA POOLS IN SOUTH AUSTRALIA
 STANDARD FOR THE SPECIFICATION AND MAINTENANCE OF SWIMMING POOLS AND SPA POOLS IN SOUTH AUSTRALIA

IT IS RECOMMENDED THAT THIS TECHNICAL DATA SHEET BE USED IN LIEU OF:

- ME57 - PUMP - SWIMMING POOL
- ME128 - FILTER - SWIMMING POOL
- ME129 - SWIMMING POOL - PH CONTROLLER
- ME130 - SWIMMING POOL - CHLORINATOR

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
 Department of Planning,
 Transport and Infrastructure

Download Date: 04/11/2021

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI [Agency Work Procedure Manual](#).

Users of a TDS should familiarise themselves with the following **Conditions of Use**:

1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
2. If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
4. You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the [Work Health and Safety Act 2012](#).
5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
8. DPTI may change information and data in a TDS without notice.
9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.