

Slow Combustion Heater

Activity		Type Of Service				
		A	B	C	D	E
Last Issue Date: 04/06/2020						
1	Clean the flue/s or chimney. Refer Special Comments.					Y
2	Clean the heater internally and externally including: the fire box, ash bed, baffles and if applicable, the smoke diversion channel. Refer Special Comments.				Y	
3	<p>CONDITION AND OPERATION:</p> <p>a) Check the condition of the components including: heater and flue/s, door seals, baffles, glass panels including sealing, latches etc. Damaged components are to be replaced.</p> <p>b) Check the fire box and sides for excessive corrosion, flaking and holes and any other damage.</p> <p>c) If applicable, check the fire brick lining for cracks and excessive pitting.</p> <p>d) Check the condition of the air intake panels and remove any obstructions.</p> <p>e) If applicable, check the condition and operation of the stove top hinged cover plates.</p> <p>f) Check the condition and operation of the fire box air control knob and the ash pan knob.</p> <p>g) Check the temperature gauge is undamaged.</p>				Y	
4	<p>FLUE (CHIMNEY) ASSEMBLY INTEGRITY:</p> <p>a) Check that the assembly including the flue/s, flue cowl, terminal, roof or wall flashing are in good condition and are securely fixed. Tighten fixings or make good as required.</p> <p>b) Check for satisfactory clearance around the flue and in the roof space remove any bird nests, boxes, insulation etc. adjacent the flue.</p> <p>c) Check the condition of the flue inspection ports or plates.</p> <p>d) Check the inside of the flue for any creosote and resin build-up and if possible, check with the site rep or occupier whether there is excessive smoke exhaust.</p> <p>e) Clean and / or adjust the air supply intake if required.</p> <p>f) Check the condition and operation of the flue damper and air dilution control knobs (may be combined).</p>				Y	
5	<p>HYDRONIC CENTRAL HEATING VERSIONS, if applicable:</p> <p>Check the rust inhibitor and conditioner level and top up if required.</p>				Y	
6	If there are any safety concerns take the appropriate action and advise the FMSP.				Y	
7	Record the results in the customer service report / logbook.				Y	Y

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 22/12/2020

Special Comments and Technical Data

D SERVICE ANNUAL. RECOMMENDED TO BE DONE IN LATE SPRING / EARLY SUMMER TO MINIMISE CREOSOTE RESIDUE AND CONDENSATION DAMAGE.

E SERVICE CLEANING OF THE FLUE (CHIMNEY SWEEPING) DETERMINED BY SITE CONDITIONS. GENERALLY RECOMMENDED TO BE DONE 2 - 5 YEARLY INTERVALS OR WHEN THE FLUE IS SMOKING EXCESSIVELY, SMOKE ENTERS THE ROOM WHEN THE HEATER DOOR IS OPENED OR CREOSOTE THICKLY LINES THE GLASS PANELS. CREOSOTE BUILD-UP WILL VARY DEPENDING ON HEATER USE, FUEL TYPE, QUALITY AND AGE, AND BURN TYPE (USE): CONTINUOUS OR INTERMITTENT.

THE ACTIVITIES AND FREQUENCIES LISTED ABOVE ARE GENERIC AND MAY NEED TO BE VARIED TO SUIT THE MANUFACTURER'S RECOMMENDATIONS, INSTALLATION DETAILS AND SITE REQUIREMENTS.

APPLICABLE LEGISLATION: ENVIRONMENTAL PROTECTION REGULATIONS AND WH&S REGULATIONS (NON-RESIDENTIAL USE).

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 22/12/2020

2 of 3

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI [Agency Work Procedure Manual](#).

Users of a TDS should familiarise themselves with the following **Conditions of Use**:

1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
2. If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
4. You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the [Work Health and Safety Act 2012](#).
5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
8. DPTI may change information and data in a TDS without notice.
9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.