

Biological Safety Cabinet

Activity		Type Of Service				
		A	B	C	D	E
Last Issue Date: 09/10/2020						
1	Undertake a visual inspection of the cabinet. Check there is no external damage to the panels or the hinges or the door catches.				Y	
2	Check the hazard warning signs are in good condition, are clearly visible on the front surface of the cabinet and not affixed to movable surfaces such as observation windows.				Y	
3	Check the power supply connections.			Y	Y	
4	Check that the exhaust air outlet is free from obstructions.			Y	Y	
5	Check the viewing window is firmly closed and that the work access opening is free from obstructions.			Y	Y	
6	Switch on the cabinet and check: a) blower operation. b) audible alarm operation. c) manometers to ensure the static pressure across the pre filters and HEPA filters are within operating range. d) fluorescent lamp operation. e) any services, where fitted. f) removable rear grille for obstructions where fitted.			Y	Y	
7	Replace any non-chargeable batteries.			Y	Y	
8	Check the condition and operation of filters, especially for: a) Cleanliness. b) Pressure drop across media. c) Obstructions. d) Damage or deterioration. Check the filters and seals between the filter units, especially for leakage. Check the condition of the filter frames and frame supports for signs of damage or deterioration.		Y	Y	Y	
9	Complete a periodic critical performance testing in accordance with AS2252.2 including the following: a) filter installation integrity. b) containment at the aperture. c) work zone integrity. d) air velocity and uniformity in the work zone. e) alarm operation. Note: AS2243.3 requires cabinets to be decontaminated prior to testing if cabinets having been used for Risk Groups 2, 3 or 4 hazardous materials, as defined therein. Note testing is also required: - on site prior to use. - following any change in position or function. - following any mechanical or electrical maintenance.				Y	
10	If required, test the 'gas tightness' of the outer shell in accordance with AS1807.25.				Y	

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
Department of Planning,
Transport and Infrastructure

Download Date: 04/11/2021

Biological Safety Cabinet

Last Issue Date: 09/10/2020		Type Of Service				
		A	B	C	D	E
Activity						
	This activity only has to be done: upon initial installation; after containment panels have been removed; and after relocation of the cabinet.					
11	Record all critical performance test results in the test certificate affixed to the cabinet.				Y	
12	Record the results in the logbook and submit a customer service report to the FMSP.		Y	Y	Y	

Special Comments and Technical Data

B SERVICE MONTHLY
 C SERVICE 6 MONTHLY
 D SERVICE ANNUALLY

SERVICE FREQUENCIES AND ACTIVITIES MAY VARY DEPENDING ON SITE CONDITIONS AND MANUFACTURER'S RECOMMENDATIONS WHICH MUST BE FOLLOWED.

THIS TDS INCLUDES SERVICING ACTIVITIES FOR AIR FILTERS - AN AIR FILTER TDS (ME30) DOES NOT NEED TO BE SCHEDULED IN CONJUNCTION.

A SPECIALIST SUB-CONTRACTOR IS REQUIRED FOR THIS SERVICE.

APPLICABLE LEGISLATION AND STANDARDS: PUBLIC HEALTH ACT, AS2243.3, AS2252.2, AS1807.5, AS1807.6, AS1807.7, AS1807.25, AS3666.2.

Disclaimer -This TDS is intended to provide guidance only to support Preventative Maintenance servicing activities. All TDS users are encouraged to read and understand the full [Conditions of Use](#) provided on the final page of this document and on the DPTI website.

For more information please contact the applicable Facilities Management Service Provider.



Government of South Australia
 Department of Planning,
 Transport and Infrastructure

Download Date: 04/11/2021

Conditions of Use

A TDS should be used as a generic guide for Facilities Management Service Providers (FMSP) to deliver Facilities Maintenance Services, specifically Preventative Maintenance in accordance with the DPTI [Agency Work Procedure Manual](#).

Users of a TDS should familiarise themselves with the following **Conditions of Use**:

1. You use the information and data contained in any TDS published by DPTI at your sole risk. DPTI-AGFMA does not have the expertise to provide complete or accurate technical data schedules and provides these technical data sheets merely as a starting point and/or guide.
2. If you rely on the information in a TDS you are responsible for ensuring, by independent verification, its accuracy, currency and completeness. DPTI cannot guarantee that the information contained in a TDS meets the standards or requirements of legislative requirements.
3. A TDS is not an exhaustive list of tasks or obligations that may be required and is generally generic in nature. DPTI does not oblige the user of a TDS to rely on it to the exclusion of other sources of information. For example, manufacturer's requirements may need to be followed for additional and / or alternative tasks and for additional and / or alternative servicing frequencies. You should always check the primary source of information such as the Australian Standards, manufacturer's specifications, legislation and other standards before undertaking any work to which a schedule may apply.
4. You must apply appropriate risk management principles and carry out all tasks in accordance with obligations under the [Work Health and Safety Act 2012](#).
5. You must not use a TDS unless you meet the specific competency requirements for preventative maintenance servicing works and are capable of applying the TDS to your trade or area of expertise. A TDS is only to be used by people who are specifically instructed by DPTI to use them and only for work undertaken in South Australia.
6. DPTI, its agents, instrumentalities, officers and employees make no representations, express or implied, as to the accuracy of the information, the data contained in a TDS or the suitability of a TDS for a particular purpose.
7. DPTI does not provide legal advice. DPTI accepts no liability, howsoever arising, for any loss resulting from the use of a TDS and any information or data or reliance placed on them.
8. DPTI may change information and data in a TDS without notice.
9. DPTI may revise this disclaimer at any time by updating these Conditions of Use.